

National Pupil Database (NPD)

Variables to be requested:

1. School Census Pupil Level (includes Pupil Referral Units from 2013/14): 2001/02 – 2017/18 – Autumn, Spring and Summer
2. Pupil Referral Unit Census (incorporated into the School Census from 2013/14): 2009/10 – 2012/13
3. Early Years Census: 2007/08 – 2017/18
4. Alternative Provision Census: 2007/08 – 2017/18
5. Early Years Foundation Stage Profile: 2002/03 – 2017/18
6. Phonics: 2011/12 – 2017/18
7. Key Stage 1: 1997/98 – 2017/18
8. Key Stage 2 (Pupil and Exam): 1995/96 – 2017-18
9. Year 7 tests: 2000/01 – 2006/07
10. Key Stage 3 (Candidate, Indicators and Result): 1997/98 – 2012/13
11. Key Stage 4 (Pupil and Exam): 2001/02 – 2017/18
12. Key Stage 5 (Student and Exam): 2001/02 – 2017/18
13. Pupil Absence: 2005/06 – 2017/18
14. Exclusions up to 2004/05: 2001/02 – 2004/05
15. Exclusions 2005/06 onwards: 2005/06 – 2016/17
16. Post-16 Learning Aims: 2007/08 – 2016/17
17. Young Person's Matched Administrative Dataset (formerly Level 2 and 3 at 19 indicators): 2016/17

We also request a control cohort, matched on age, gender (and SEN? Or IMD?).

Hospital Episode Statistics (HES)

Variables – Hospital Episode Statistics Admitted Patient Care

[ACSCFLAG Ambulatory Care Sensitive Condition Flag,
[ACTIVAGE Age at activity date,
[ADMIAGE Age on admission,
ADMIDATE Date of admission,
[ADMIMETH Method of admission,
[ADMINCAT Administrative category,
[ADMINCATST Admin category at start of episode,
[ADMISORC Source of admission,
[ADMISTAT Psychiatric history on admission,
[AEKEY Record identifier,
[ALCDIAG Principal alcohol related diagnosis,
[ALCDIAG_4 4 character concatenated alcohol related diagnosis,
[ALCFRAC Principal alcohol related fraction,
[ANAGEST Gestation period in weeks at first antenatal assessment,
[ANASDATE First antenatal assessment date,
[ANTEDUR Antenatal days of stay,
[AT_GP_PRACTICE Area Team of GP Practice,
[AT_RESIDENCE Area Team of Residence,
[AT_TREATMENT Area Team of Treatment,
[BEDYEAR Bed days within the year,
[BIRESUS_N Resuscitation method,
[BIRORDER_N Birth order,
[BIRSTAT_N Birth status,
[BIRWEIT_N Birth weight,
[CANNET Cancer network,
[CANREG Cancer registry,
[CARERSI Carer support indicator,
[CATEGORY Administrative & legal status of patient,
[CAUSE Cause code,

[CCG_GP_PRACTICE CCG of GP Practice,
[CCG_RESIDENCE CCG of Residence,
[CCG_RESPONSIBILITY CCG of Responsibility,
[CCG_RESPONSIBILITY_ORIGIN Origin of CCG of Responsibility,
[CCG_TREATMENT CCG of Treatment,
[CCG_TREATMENT_ORIGIN Origin of CCG of Treatment,
[CDSEXTDATE CDS extract date,
[CDSVERPROTID CDS protocol identifier,
[CDSVERSION CDS version number,
[CENDUR Duration of care to psychiatric census date,
[CENSAGE Age at psychiatric census date,
[CENSTAT Status of patient included in psychiatric census,
[CENWARD Ward type at psychiatric census date,
[CLASSPAT Patient classification,
[CR_GP_PRACTICE Commissioning Region of GP Practice,
[CR_RESIDENCE Commissioning Region of Residence,
[CR_TREATMENT Commissioning Region of Treatment,
[CSNUM Commissioning serial number,
[CURRWARD Current electoral ward,
[CURRWARD_ONS Current electoral ward (ONS),
[DELCHANG Delivery place change reason,
[DELINTEN Delivery place (intended),
[DELMETH_D Alternative Delivery method (Derived),
[DELMETH_N Delivery method,
[DELONSET Labour/delivery onset method,
[DELPLAC_N Delivery place (actual),
[DELPOSAN Anaesthetic given post-labour or delivery,
[DELPREAN Anaesthetic given during labour or delivery,
[DELSTAT_N Status of person conducting delivery,
[DETDUR Duration of detention,
[DETNDATE Date detention commenced,
[DIAG_COUNT Count of diagnoses,
[DIAG_NN All Diagnosis codes,
[DISDATE Date of discharge,
[DISDEST Destination on discharge,
[DISMETH Method of discharge,
[DISREADYDATE Discharge ready date,
[DOMPROC Trust derived dominant procedure,
[EARLDATOFF Earliest reasonable date offered,
[ELECDATE Date of decision to admit,
[ELECDUR Waiting time,
[ELECDUR_CALC Calculation of Elecdur,
[ENCRYPTED_HESID Encrypted HESID,
[ENDAGE Age at end of episode,
[EPIDUR Episode duration,
[EPIEND Date episode ended,
[EPIKEY Record identifier,
[EPIORDER Episode order,
[EPISTART Date episode started,
[EPISTAT Episode status,
[EPITYPE Episode type,
[ETHNOS Ethnic category,
[ETHRAW Ethnic character (audit version),
[FAE Finished Admission Episode,
[FAE_EMERGENCY Finished Admission Episode, emergency classification,
[FCE Finished Consultant Episode,
[FDE Finished In-Year Discharge Episode,
[FIRSTREG First regular day or night admission,
[FYEAR Financial Year,

[GESTAT_N Length of gestation,
[GORTREAT Government office region of treatment,
[GPPRAC Code of GP practice,
[GPPRACHA Health Authority area where patient's GP is registered,
[GPPRACRO Regional Office area where patient's GP was registered,
[GPPRPCT Primary Care Trust area where patient's GP was registered,
[GPPRSTHA Strategic Health Authority area where patient's GP was registered,
[HATREAT Health Authority of treatment,
[HNEOIND Healthy Neonate Indicator,
[HRGLATE35 Healthcare resource group: version 3.1,
[HRGNHS Trust derived HRG value,
[HRGNHSVN Version No. of Trust derived HRG,
[INTMANIG Intended management,
[LAD98 Local authority district in 1998,
[LSOA01 Lower Super Output Area (LSOA01),
[LSOA11 Lower Super Output Area (LSOA11),
[MAINSPEF Main specialty,
[MARSTAT Marital status (psychiatric),
[MATAGE Mother's age at delivery,
[MATCH_RANK MATCH_RANK,
[MATERNITY_EPISODE_TYPE Episode Type - Maternity,
[MENTCAT Mental category,
[MSOA01 Middle Super Output Area, 2001,
[MSOA11 Middle Super Output Area, 2011,
[MYDOB Date of Birth - month and year,
[NEOCARE Neonatal level of care,
[NEODUR Age of baby in days,
[NEWNHSNO_CHECK NHS Number valid flag,
[NHSNOIND NHS number status indicator,
[NUMBABY Number of babies,
[NUMPREG Number of previous pregnancies,
[NUMTAILB Number of baby tails,
[OACODE6 Census Output Area, 2001 (6 character),
[OPCS43 OPCS4.3 version flag,
[OPDATE_NN Date of operation,
[OPERSTAT Operation status code,
[OPERTN_COUNT Total number of procedures per episode,
[OPERTN_NN Primary Operative Procedure Codes ,
[ORGPPPID Organisation code (patient pathway ID issuer),
[PARTYEAR Year and month of data,
[PCFOUND Postcode Found,
[PCGCODE Primary care group,
[PCGORIG Origin of primary care group,
[PCON Westminster parliamentary constituency,
[PCON_ONS Westminster parliamentary constituency (ONS),
[PCONSULT Pseudonymised consultant team code,
[PCTCODE_HIS Primary Care Trust,
[PCTCODE02 Primary care trust of responsibility - historic,
[PCTCODE06 Primary care trust of responsibility - current,
[PCTNHS Primary care trust of responsibility - NHS,
[PCTORIG_HIS PCTORIG_HIS,
[PCTORIG02 Origin of primary care trust of responsibility - historic,
[PCTORIG06 Origin of primary care trust of responsibility - current,
[PCTTREAT Primary Care Trust area of main provider,
[POSOPDUR Post-operative duration,
[POSTDIST Postcode district of patient's residence,
[POSTDUR Postnatal stay,
[PREFERER Pseudonymised referrer code,
[PREGGMP Pseudonymised code of patient's registered or referring general medical practitioner,

[PREOPDUR Pre-operative duration,
[PRIMERCP CDS Prime Recipient Identity,
[PROCEDURE Organisation code (code of provider),
[PROCEDURE3 Provider code - 3 character,
[PROCEDURE5 Provider code - 5 character,
[PROCEDURET Provider code,
[PROTOTYPE Provider type,
[PROVSPNOPS Pseudonymised hospital provider spell number,
[PURCODE Commissioner code,
[PURRO Commissioner's Regional Office,
[PURSTHA Commissioner's Strategic Health Authority,
[PURVAL Commissioner code status,
[REFERORG Referring organisation code,
[RESCTY County of residence,
[RESCTY_ONS County of residence (ONS),
[RESGOR Government office region of residence,
[RESGOR_ONS Government office region of residence (ONS),
[RESHA Health Authority of residence,
[RESLADST Local authority district,
[RESLADST_ONS Local authority district (ONS),
[RESPCT_HIS The primary care trust of residence - mapped according to source year,
[RESPCT02 Patient's Primary Care Trust of residence - historic,
[RESPCT06 Patient's Primary Care Trust of residence - current,
[RESRO Regional Office of residence,
[RESSTHA_HIS RESSTHA_HIS,
[RESSTHA02 Patient's Strategic Health Authority of residence - historic,
[RESSTHA06 Patient's Strategic Health Authority of residence - current,
[ROTREAT Region of treatment,
[RTTPPEREND RTT period end date,
[RTTPPERSTART RTT period start date,
[RTTPPERSTAT RTT period status,
[RURURB_IND Rural/Urban Indicator,
[SENDER SENDER,
[SEX Sex of patient,
[SEXBABY_N Sex of baby,
[SITETRET Site code of treatment,
[SPELBBEGIN Beginning of spell,
[SPELDUR Duration of spell,
[SPELEND End of spell,
[STARTAGE Age at start of episode,
[STARTAGE_CALC Age of patients at start of episode, babies restated,
[STHATRET Strategic Health Authority area of treatment,
[STUDY_ID STUDY_ID,
[SUBDATE Submission date,
[SUSCOREHRG SUS generated Core Spell HRG,
[SUSHRG SUS generated HRG,
[SUSHRGVERS SUS generated HRG version number,
[SUSLDDATE SUS loaded staging date,
[SUSRECID SUS record id,
[SUSSPELLID SUS generated spell id,
[TRETSPF Treatment specialty,
[VIND V code indicator,
[WAITDAYS Duration of elective wait,
[WAITLIST Method of Admission - Waiting List,
[WARD91 Electoral ward in 1991,
[WARD98 Electoral ward in 1998,
[WARDSTRT Ward type at start of episode,
[WELL_BABY_IND Well baby flag

Variables – Hospital Episode Statistics Outpatients

[ACTIVAGE Age at activity date,
[ADMINCAT Administrative category,
[APPTAGE Age on day of appointment,
[APPTAGE_CALC Appointment Age - babies decimalised,
[APPTDATE Appointment date,
[AT_GP_PRACTICE Area Team of GP Practice,
[AT_RESIDENCE Area Team of Residence,
[AT_TREATMENT Area Team of Treatment,
[ATENTYPE Attendance type,
[ATTENDED Attended or did not attend,
[ATTENDKEY Record identifier,
[ATTENDKEY_FLAG Attendance Key Flag,
[BABYAGE Age of Baby,
[CANNET Cancer network,
[CANREG Cancer registry,
[CARERSI Carer support indicator,
[CCG_GP_PRACTICE CCG of GP Practice,
[CCG_RESIDENCE CCG of Residence,
[CCG_RESPONSIBILITY CCG of Responsibility,
[CCG_RESPONSIBILITY_ORIGIN Origin of CCG of Responsibility,
[CCG_TREATMENT CCG of Treatment,
[CCG_TREATMENT_ORIGIN Origin of CCG of Treatment,
[CR_GP_PRACTICE Commissioning Region of GP Practice,
[CR_RESIDENCE Commissioning Region of Residence,
[CR_TREATMENT Commissioning Region of Treatment,
[CSNUM Commissioning serial number,
[DIAG_COUNT Count of diagnoses,
[DIAG_NN Diagnosis,
[DNADATE Last DNA or patient cancelled date,
[EARLDATOFF Earliest reasonable date offered,
[ENCRYPTED_HESID Encrypted HESID,
[ETHNOS Ethnic category,
[ETHRAWL Ethnic category (audit version),
[FIRSTATT First attendance,
[FYEAR Financial Year,
[GORTREAT Government office region of treatment,
[GPPRAC Code of GP practice,
[GPPRACHA Health Authority area where patient's GP is registered,
[GPPRACRO Regional office area where patient's GP practice was registered,
[GPPRPCT Primary Care Trust area where patient's GP was registered,
[GPPRSTHA Strategic health authority area where patient's GP practice was registered,
[HATREAT Health authority of treatment,
[HRGNHS Trust derived HRG value,
[HRGNHSVN Version No. of Trust derived HRG,
[LOCCLASS Location class,
[LOCTYPE Location type,
[MAINSPEF Main specialty,
[MATCH_RANK MATCH_RANK,
[MYDOB Date of Birth - month and year,
[NEWNHSNO_CHECK NHS Number valid flag,
[NHSNOIND NHS number status indicator,
[NODIAGS Number of Diagnosis,
[NOPROCS Number of Procedures,
[OPCS43 OPCS43,
[OPERSTAT Operation status code,
[OPERTN_NN Operative procedure,
[ORGPPPID Organisation code of patient pathway ID issuer,
[OUTCOME Outcome of attendance,

[PARTYEAR Year and month of data,
[PCFOUND Postcode Found,
[PCONSULT Pseudonymised consultant team code,
[PCTCODE_HIS PCTCODE_HIS,
[PCTCODE02 Primary care trust of responsibility - historic,
[PCTCODE06 Primary care trust of responsibility - current,
[PCTNHS Primary care trust of responsibility - NHS,
[PCTORIG_HIS PCTORIG_HIS,
[PCTORIG02 Origin of primary care trust of responsibility - historic,
[PCTORIG06 Origin of primary care trust of responsibility - current,
[PCTTREAT Primary Care Trust area of main provider,
[POSTDIST Postcode district of patient's residence,
[PREFERER Pseudonymised referrer code,
[PREGGMP Pseudonymised Code of patient's registered or referring general medical practitioner,
[primerecp primerecp,
[PRIORITY Priority type,
[PROCEDURE Organisation code (code of provider),
[PROCEDURE3 Provider code (3 character),
[PROCEDURE5 Provider code (5 character),
[PROCEDURET Provider code,
[PROTOTYPE Provider type,
[PURCODE Commissioner code,
[PURSTHA Commissioner's strategic health authority,
[PURVAL Commissioner code status,
[REFERORG Referring organisation code,
[REFSOURC Source of referral,
[REQDATE Referral request received date,
[RESPCT_HIS RESPCT_HIS,
[RESSTHA_HIS RESSTHA_HIS,
[RTTPEREND RTT period end date,
[RTTPERSTART RTT period start date,
[RTTPERSTAT RTT period status,
[SENDER SENDER,
[SERVTYPE Service type requested,
[SEX Sex of patient,
[STAFFTYP Medical staff type seeing patient,
[STUDY_ID STUDY_ID,
[SUBDATE Submission date,
[SUSHRG SUS generated HRG,
[SUSHRGVERS SUS generated HRG version number,
[SUSLDDATE SUS loaded staging date,
[SUSRECID SUS record id,
[SUSSPELLID SUS generated spell id,
[TREATSPEF Treatment specialty,
[WAIT_IND Waiting calculation indicator,
[WAITDAYS Duration of elective wait,
[WAITING Days waiting

Variables – Hospital Episode Statistics Accident and Emergency

[ACTIVAGE Age at activity date,
[AEARRIVALMODE Arrival mode,
[AEATTEND_EXC_PLANNED Attendances excluding planned,
[AEATTENDCAT Attendance category,
[AEATTENDDISP Attendance disposal,
[AEDEPTTYPE Department type,
[AEINCLOCTYPE Incident location type,
[AEKEY Record identifier,
[AEKEY_FLAG AEKEY Flag,

[AEPATGROUP Patient group,
[AERESOURCE Source of referral for A&E,
[APPDATE Net applicable date,
[ARRIVALAGE Age on arrival,
[ARRIVALAGE_CALC Age on arrival calculated,
[ARRIVALDATE Arrival date,
[ARRIVALTIME Arrival time,
[AT_GP_PRACTICE Area Team of GP Practice,
[AT_RESIDENCE Area Team of Residence,
[AT_TREATMENT Area Team of Treatment,
[CANNET Cancer network,
[CANREG Cancer registry,
[CARERSI Carer support indicator,
[CCG_GP_PRACTICE CCG of GP Practice,
[CCG_RESIDENCE CCG of Residence,
[CCG_RESPONSIBILITY CCG of Responsibility,
[CCG_RESPONSIBILITY_ORIGIN Origin of CCG of Responsibility,
[CCG_TREATMENT CCG of Treatment,
[CCG_TREATMENT_ORIGIN Origin of CCG of Treatment,
[CDSEXTDATE CDS extract date,
[CDSUNIQUEID CDS unique ID,
[CDSVERPROTID CDS protocol ID,
[CONCLDUR Duration to conclusion,
[CONCLTIME Conclusion time,
[CR_GP_PRACTICE Commissioning Region of GP Practice,
[CR_RESIDENCE Commissioning Region of Residence,
[CR_TREATMENT Commissioning Region of Treatment,
[CSNUM Commissioning serial number,
[DEPDUR Duration to departure,
[DEPTIME Departure time,
[DIAG_NN A&E diagnosis,
[DIAGA_NN A&E diagnosis - anatomical area,
[DIAGS_NN A&E diagnosis - anatomical side,
[DIAGSCHEME Diagnosis Scheme in Use,
[DOMPROC Dominant procedure,
[ENCRYPTED_HESID Encrypted HESID,
[EPIKEY Record identifier,
[ETHNOS Ethnic category,
[FYEAR Financial Year,
[GORTREAT Government office region of treatment,
[GPPRAC Code of GP practice,
[GPPRPCT Primary Care Trust area where patient's GP was registered,
[GPPRSTHA Strategic HA of GP practice,
[HATREAT Health authority of treatment,
[HRGNHS Trust derived HRG value,
[HRGNHSVN Version No. of trust derived HRG,
[INITDUR Duration to assessment,
[INITTIME Initial assessment time,
[INVEST_NN A&E investigation,
[MATCH_RANK MATCH_RANK,
[MYDOB Date of Birth - month and year,
[NEWNHSNO_CHECK NHS Number valid flag,
[NHSNOIND NHS number status indicator,
[NODIAGS Number of Diagnosis values,
[NOINVESTS Number of Investigations,
[NOTREATS Number of Treatments,
[ORGPPPID Organisation code of patient pathway ID issuer,
[PARTYEAR Year and month of data,
[PCFOUND Postcode Found,

[PCTCODE_HIS Primary Care Trust,
[PCTCODE02 Historic PCT of responsibility,
[PCTCODE06 Current PCT of responsibility,
[PCTORIG_HIS PCTORIG_HIS,
[PCTORIG02 Origin of primary care trust of responsibility - historic,
[PCTTREAT Primary Care Trust area of main provider,
[PEREND Reporting period end date,
[POSTDIST Postcode district,
[PREGGMP Pseudonymised registered GP code,
[PROCEDURE Organisation code (code of provider),
[PROCEDURE3 3-digit provider code,
[PROCEDURE5 5-digit provider code,
[PROCEDURET Provider code,
[PROTOTYPE Provider type,
[PURCODE Commissioner code,
[PURSTHA Commissioner's Strategic Health Authority,
[PURVAL Commissioner code status,
[RESPCT_HIS RESPCT_HIS,
[RESSTHA_HIS RESSTHA_HIS,
[RTTPEREND RTTP period end,
[RTTPERSTART RTT period start,
[RTTPERSTAT RTT period status,
[SEX Sex of patient,
[STUDY_ID STUDY_ID,
[SUBDATE Submission date,
[SUSHRG SUS generated HRG,
[SUSHRGINFO SUS generated HRG For Information,
[SUSHRGVERINFO SUS generated HRG For Information version number,
[SUSHRGVERS SUS generated HRG version number,
[SUSLDDATE SUS loaded staging date,
[SUSRECID SUS record ID,
[SUSSPELLID SUS generated spell id,
[TREAT_NN A&E treatment,
[TRET DUR Duration to treatment,
[TRET TIME Time seen for treatment,
[WAITDAYS Waitdays